

Author index

- Aarskaug T *see* Lingaas F
Acland GM *see* Du F
Aggrey SE *see* Li S
Aguirre GD *see* Zeiss CJ
Aldridge BM, McGuirk SM, Clark RJ, Knapp LA, Watkins DI & Lunn DP: Denaturing gradient gel electrophoresis: a rapid method for differentiating *BoLA-DRB3* alleles, 389
Aleandri R *see* Feligini M
Alexander LJ *see* Janzen MA
see also Törnsten A
Aleyasin A *see* Taylor JF
Alonso-Moraga A *see* Jiménez-Gamero I
Amarante MRV, Lopes CR & Womack JE: *KRN1* maps to bovine chromosome 29, 323
Amarger V *see* Høyheim B
Amigues Y *see* Mariat D
Andersson L *see* Törnsten A
Angulo-Heras C *see* Jiménez-Gamero I
Archibald AL, Couperwhite S & Buchman TG: RFLP and linkage analysis of the porcine fibrinogen loci – *FCA*, *FGB* and *FGG*, 471
Archibald AL *see* Walling GA
Argue BJ *see* Liu Z
Armitage SM *see* Taylor JF
Arnold S *see* Keller RC
Arranz JJ, Bayón Y & San Primitivo F: Genetic relationships among Spanish sheep using microsatellites, 435
Arranz J-J, Coppieters W, Berzi P, Cambisano N, Grisart B, Karim L, Marcq F, Moreau L, Mezer C, Riquet J, Simon P, Vanmanshoven P, Wagenaar D & Georges M: A QTL affecting milk yield and composition maps to bovine chromosome 20: a confirmation, 107
Auffray C *see* Morisson M
Bailey E *see* Bernoco D
see also Obreque V
Ballgall KT, Marasa BS, Luyai A & McKeever DJ: Identification of diverse *BoLA DQA3* genes consistent with non-allelic sequences, 123
Barendse W *see* Ihara N
see also Taylor JF
see also Weikard R
Barker JSF *see* Lau CH
Barragán C *see* Pérez-Pérez J
Baumgartner BG *see* Dierkes B
see also Pfeiffer I
see also Wen G
Bayón Y *see* Arranz JJ
Beattie CW *see* Janzen MA
Beever JE *see* Taylor JF
Bell K *see* Irvin Z
Benkel BF, Grunder AA, Ramos PS & Ponce de León FAA: diagnostic assay for the endogenous ALV-type provirus *ALVE-B2* of broiler chickens, 240
Bergé R *see* Morisson M
Bermudez AJ *see* Chen Y-W
Bernoco D & Bailey E: Frequency of the *SCID* gene among Arabian horses in the USA, 41
Berzi P *see* Arranz J-J
Bevilacqua C *see* Pilla F
Bigi D *see* Davoli R
Binns MM *see* Holmes NG
see also Marti E
see also Sutton MD
Bishop M *see* Elduque C
Bishop MD *see* Eggen A
see also Larsen NJ
see also Taylor JF
Bjerkås I *see* Lingaas F
Bjørnstad G *see* Røed KH
Blott SC, Williams JL & Haley CS: Genetic variation within the Hereford breed of cattle, 202
Blott SC, Williams JL & Haley CS: Genetic relationships among European cattle breeds, 273
Bonnet A *see* Cloucard-Martinato C
Boscher MY *see* Mariat D
Bouquet Y *see* Peelman LJ
Bovenhuis H *see* Spelman RJ
Bradley DG *see* MacHugh DE
Branco M, Lopes G & Ferrand N: Genetic polymorphism of properdin factor B (BF) in domestic rabbit, 135
Brandon MR *see* Snibson KJ
Brandon R *see* Irvin Z
Breen M *see* Irvin Z
see also Marti E
Brenig B *see* Dierkes B
see also Düscher S
see also Pfeiffer I
see also Tammen I
see also Wen G
Brennan FB *see* Sutton MD
Brenneman RA *see* Taylor JF
see also Taylor JF
Broad TE *see* Burkin DJ
Brockus CW, Jackwood MW & Harmon BG: Characterization of β -defensin prepropeptide mRNA from chicken and turkey bone marrow, 283
Brooks MB *see* Ray J
Brusgaard K, Holm L-E & Lohi O: Two polymorphic mink (*Mustela vison*) dinucleotide repeat loci, 468
Brusgaard K, Malchenko SN, Christensen K, Lohi O & Kruse T: A polymorphic mink (*Mustela vison*) dinucleotide repeat, 467
Brusgaard K, Shukri N, Malchenko SN, Lohi O, Christensen K & Kruse T: Three polymorphic mink, *Mustela vison*, dinucleotide repeats, 153
Buchholz WG, Pearce JM, Pierson BJ & Scribner KY: Dinucleotide repeat polymorphisms in waterfowl (family Anatidae): characterization of a sex-linked (Z-specific) and 14 autosomal loci, 323
Buchman TG *see* Archibald AL
Buitkamp J, Ewald D, Schalkwyk L, Weiher M, Masabanda J, Sazanov A, Lehrach H & Fries R: Construction and characterisation of a gridded chicken cosmid library with four-fold genomic coverage, 295
Buitkamp J *see* Masabanda J
Bumstead N *see* Wain HM
Buoen LB *see* Janzen MA
Burke T *see* Dawson D
Burkin DJ, Broad TE, Lambeth MR, Burkin HR & Jones C: New gene assignments using a complete, characterized sheep-hamster somatic cell hybrid panel, 48
Burkin HR *see* Burkin DJ
Burney N *see* Taylor JF
Burns BM *see* Taylor JF
Burny A *see* Peelman LJ
Burt DW *see* Smith J
Burzlaff JD *see* Gallagher Jr DS
see also Schläpfer J
Byla B *see* Larsen NJ
Byrne K *see* Moore SS
Caetano AR *see* Penedo MCT
Cambisano N *see* Arranz J-J
Candy J *see* Collet C
Cao H *see* Zhang Y
Cao Y *see* Venta P
Cassells MW *see* Shibuya H
Castilho R & McAndrew B: Two polymorphic microsatellite markers in the European seabass, *Dicentrarchus labrax* (L.), 151
Cattermole JA *see* Walling GA
Čepica S *see* Davoli R
see also Knoll A
see also Stratil A
Chen Y-W, Bermudez AJ, Liu P-C, Nonneman D & Johnson GS: A *DraIII* PCR/RFLP in an intron of the emu lysosomal protective protein gene, 404
Chen Y-W, Liu P-C, Shibuya H, O'Brien DP, Lubahn DB & Johnson GS: Length polymorphism in a CAG-rich coding region of the canine dentatorubropallidolysian atrophy (*DRPLA*) gene, 241
Chen Y-W *see* Liu P-C
see also Shibuya H
Chowdhary BP *see* Törnsten A
Christensen K *see* Brusgaard K
Clark RJ *see* Aldridge BM
Cloucard-Martinato C, Mulsant P, Robic A, Bonnet A, Gasser F & Hately F: Characterization of FSH-regulated genes isolated by mRNA differential display from pig ovarian granulosa cells, 98
Collet C, Candy J & Sara V: Tyrosine

Author index

- Aarskaug T *see* Lingaas F
Acland GM *see* Du F
Aggrey SE *see* Li S
Aguirre GD *see* Zeiss CJ
Aldridge BM, McGuirk SM, Clark RJ, Knapp LA, Watkins DI & Lunn DP: Denaturing gradient gel electrophoresis: a rapid method for differentiating *BoLA-DRB3* alleles, 389
Aleandri R *see* Feligini M
Alexander LJ *see* Janzen MA
see also Törnsten A
Aleyasin A *see* Taylor JF
Alonso-Moraga A *see* Jiménez-Gamero I
Amarante MRV, Lopes CR & Womack JE: *KRN1* maps to bovine chromosome 29, 323
Amarger V *see* Høyheim B
Amigues Y *see* Mariat D
Andersson L *see* Törnsten A
Angulo-Heras C *see* Jiménez-Gamero I
Archibald AL, Couperwhite S & Buchman TG: RFLP and linkage analysis of the porcine fibrinogen loci – *FCA*, *FGB* and *FGG*, 471
Archibald AL *see* Walling GA
Argue BJ *see* Liu Z
Armitage SM *see* Taylor JF
Arnold S *see* Keller RC
Arranz JJ, Bayón Y & San Primitivo F: Genetic relationships among Spanish sheep using microsatellites, 435
Arranz J-J, Coppieters W, Berzi P, Cambisano N, Grisart B, Karim L, Marcq F, Moreau L, Mezer C, Riquet J, Simon P, Vanmanshoven P, Wagenaar D & Georges M: A QTL affecting milk yield and composition maps to bovine chromosome 20: a confirmation, 107
Auffray C *see* Morisson M
Bailey E *see* Bernoco D
see also Obreque V
Ballgall KT, Marasa BS, Luyai A & McKeever DJ: Identification of diverse *BoLA DQA3* genes consistent with non-allelic sequences, 123
Barendse W *see* Ihara N
see also Taylor JF
see also Weikard R
Barker JSF *see* Lau CH
Barragán C *see* Pérez-Pérez J
Baumgartner BG *see* Dierkes B
see also Pfeiffer I
see also Wen G
Bayón Y *see* Arranz JJ
Beattie CW *see* Janzen MA
Beever JE *see* Taylor JF
Bell K *see* Irvin Z
Benkel BF, Grunder AA, Ramos PS & Ponce de León FAA: diagnostic assay for the endogenous ALV-type provirus *ALVE-B2* of broiler chickens, 240
Bergé R *see* Morisson M
Bermudez AJ *see* Chen Y-W
Bernoco D & Bailey E: Frequency of the *SCID* gene among Arabian horses in the USA, 41
Berzi P *see* Arranz J-J
Bevilacqua C *see* Pilla F
Bigi D *see* Davoli R
Binns MM *see* Holmes NG
see also Marti E
see also Sutton MD
Bishop M *see* Elduque C
Bishop MD *see* Eggen A
see also Larsen NJ
see also Taylor JF
Bjerkås I *see* Lingaas F
Bjørnstad G *see* Røed KH
Blott SC, Williams JL & Haley CS: Genetic variation within the Hereford breed of cattle, 202
Blott SC, Williams JL & Haley CS: Genetic relationships among European cattle breeds, 273
Bonnet A *see* Cloucard-Martinato C
Boscher MY *see* Mariat D
Bouquet Y *see* Peelman LJ
Bovenhuis H *see* Spelman RJ
Bradley DG *see* MacHugh DE
Branco M, Lopes G & Ferrand N: Genetic polymorphism of properdin factor B (BF) in domestic rabbit, 135
Brandon MR *see* Snibson KJ
Brandon R *see* Irvin Z
Breen M *see* Irvin Z
see also Marti E
Brenig B *see* Dierkes B
see also Duschler S
see also Pfeiffer I
see also Tammen I
see also Wen G
Brennan FB *see* Sutton MD
Brenneman RA *see* Taylor JF
see also Taylor JF
Broad TE *see* Burkin DJ
Brockus CW, Jackwood MW & Harmon BG: Characterization of β -defensin prepropeptide mRNA from chicken and turkey bone marrow, 283
Brooks MB *see* Ray J
Brusgaard K, Holm L-E & Lohi O: Two polymorphic mink (*Mustela vison*) dinucleotide repeat loci, 468
Brusgaard K, Malchenko SN, Christensen K, Lohi O & Kruse T: A polymorphic mink (*Mustela vison*) dinucleotide repeat, 467
Brusgaard K, Shukri N, Malchenko SN, Lohi O, Christensen K & Kruse T: Three polymorphic mink, *Mustela vison*, dinucleotide repeats, 153
Buchholz WG, Pearce JM, Pierson BJ & Scribner KY: Dinucleotide repeat polymorphisms in waterfowl (family Anatidae): characterization of a sex-linked (Z-specific) and 14 autosomal loci, 323
Buchman TG *see* Archibald AL
Buitkamp J, Ewald D, Schalkwyk L, Weiher M, Masabanda J, Sazanov A, Lehrach H & Fries R: Construction and characterisation of a gridded chicken cosmid library with four-fold genomic coverage, 295
Buitkamp J *see* Masabanda J
Bumstead N *see* Wain HM
Buoen LB *see* Janzen MA
Burke T *see* Dawson D
Burkin DJ, Broad TE, Lambeth MR, Burkin HR & Jones C: New gene assignments using a complete, characterized sheep-hamster somatic cell hybrid panel, 48
Burkin HR *see* Burkin DJ
Burney N *see* Taylor JF
Burns BM *see* Taylor JF
Burny A *see* Peelman LJ
Burt DW *see* Smith J
Burzlaff JD *see* Gallagher Jr DS
see also Schläpfer J
Byla B *see* Larsen NJ
Byrne K *see* Moore SS
Caetano AR *see* Penedo MCT
Cambisano N *see* Arranz J-J
Candy J *see* Collet C
Cao H *see* Zhang Y
Cao Y *see* Venta P
Cassells MW *see* Shibuya H
Castilho R & McAndrew B: Two polymorphic microsatellite markers in the European seabass, *Dicentrarchus labrax* (L.), 151
Cattermole JA *see* Walling GA
Čepica S *see* Davoli R
see also Knoll A
see also Stratil A
Chen Y-W, Bermudez AJ, Liu P-C, Nonneman D & Johnson GS: A *DraIII* PCR/RFLP in an intron of the emu lysosomal protective protein gene, 404
Chen Y-W, Liu P-C, Shibuya H, O'Brien DP, Lubahn DB & Johnson GS: Length polymorphism in a CAG-rich coding region of the canine dentatorubropallidolysian atrophy (*DRPLA*) gene, 241
Chen Y-W *see* Liu P-C
see also Shibuya H
Chowdhary BP *see* Törnsten A
Christensen K *see* Brusgaard K
Clark RJ *see* Aldridge BM
Cloucard-Martinato C, Mulsant P, Robic A, Bonnet A, Gasser F & Hately F: Characterization of FSH-regulated genes isolated by mRNA differential display from pig ovarian granulosa cells, 98
Collet C, Candy J & Sara V: Tyrosine

- hydroxylase and insulin-like growth factor II but not insulin are adjacent in the teleost species barramundi (*Lates calcarifer*), 30
- Coltman DW *see* Slate J
- Coogle L *see* Obreque V
- Coopman F *see* Peelman LJ
- Coppieters W *see* Arranz J-J
- Cordova KI *see* Penedo MCT
- Cosenza G, Rando A, Longobardi E, Masina P & Ramunno L: A *MseI* RFLP at the goat α s2-casein gene, 150
- Cothran EG *see* Obreque V
- Cotinot C *see* Parma P
- Couperwhite S *see* Archibald AL
- Coutinho LL *see* Taylor JF
- Crawford AM *see* Freking BA
see also Matthews GD
- Crooijmans RPMA *see* Ruyter-Spira CP
- Cunningham P *see* MacHugh DE
- Czarnik U *see* Pareek CS
- Da Y *see* Mirsky ML
- Dansercor A *see* Peelman LJ
- Davies SK *see* Ihara N
- Davis SK *see* Gallagher Jr DS
see also Schlöpfer J
see also Taylor JF
- Davoli R, Fontanesi L, Russo V, Čepica S, Musilová P, Stratil A & Rubeš J: The porcine proteasome subunit A4 (*PSMA4*) gene: isolation of a partial cDNA, linkage and physical mapping, 385
- Davoli R, Zambonelli P, Bigi D, Fontanesi L & Russo V: Isolation and mapping of two porcine skeletal muscle myosin heavy chain isoforms, 91
- Davoli R *see* Fontanesi L
- Dawson D, McConnell S, Wardle A, Gibbs M & Burke T: Characterization and mapping of 15 novel chicken microsatellite loci, 159
- de Gortari MJ *see* Freking BA
- de Koning DJ *see* Ruyter-Spira CP
- Dekkers JCM *see* Sharif S
- Dekomien G *see* Klein W
- Di Gregorio P *see* Motavalian M
see also Senese C
- Dickens HF *see* Holmes NG
- Dierkes B, Kriegesmann B, Baumgartner BG & Brenig B: Partial genomic structure of the bovine *PIT1* gene and characterization of a *HinfI* transition polymorphism in exon 6, 405
- Dijkhof RJM *see* Ruyter-Spira CP
- Dittmer N *see* Venta P
- Dolf G, Schlöpfer J, Switonski M, Stranzinger G, Gaillard C & Schelling C: The highly polymorphic canine microsatellite ZuBeCa4 is localized on canine chromosome 3q15-q18, 403
- Dolf G *see* Ladon D
see also Lingaas F
see also Schelling C
see also Schlöpfer J
see also Switonski M
- Dorado G *see* Jiménez-Gamero I
- Douaire M *see* Pitel F
- Doud L *see* Larsen NJ
- Downing AC *see* Walling GA
- Drinkwater R *see* Lowden S
- Drinkwater RD *see* Lau CH
- Du F & Ray J: A tetranucleotide polymorphism in the canine type II collagen gene (*COL2A1*), 400
- Du F, Acland GM & Ray J: A highly polymorphic PCR/RFLP marker in the canine type II collagen gene (*COL2A1*), 407
- Duffy AJ, Landa A, O'Connell M, Stratton C & Wright JM: Four polymorphic microsatellites in wolverine, *Gulo gulo*, 63
- Duke EJ *see* Sutton MD
- Dunham RA *see* Liu Z
- Duscher S, Pfeiffer I, Leeb T & Brenig B: Characterisation and mapping of a highly polymorphic microsatellite within the porcine skeletal muscle triadin gene, 476
- Dvoák J *see* Knoll A
- Edfors-Lilja I *see* Ruohonen-Lehto MK
- Eggen A, Masabanda J, Pfister-Genskow M, Fries R & Bishop MD: The bovine survival of motor neuron gene (*SMN*) maps to bovine chromosome 20q14, 408
- Eggen A *see* Elduque C
see also Larsen NJ
see also Taylor JF
- Elduque C, Hayes H, Bishop M & Eggen A: Assignment of the presenilin 2 gene (*PSEN2*) to bovine chromosome 16q16, 465
- Elo K *see* Moiso S
see also Taylor JF
- Enne G *see* Feligini M
- Epplen JT *see* Klein W
- Ernst CW, Robic A, Yerle M, Wang L & Rothschild MF: Mapping of calpastatin and three microsatellites to porcine chromosome 2q21-q24, 212
- Ewald D *see* Buitkamp J
see also Masabanda J
- Fabb SA *see* Snibson KJ
- Feligini M, Parma P, Aleandri R, Greppi GF & Enne G: PCR-RFLP test for direct determination of β -lactoglobulin genotype in sheep, 473
- Ferrand N *see* Branco M
- Ferretti L *see* Zhang Y
- Fillon V *see* Morisson M
see also Pitel F
- Finlayson HA *see* Walling GA
- Fischer P *see* Marti E
- Fontanesi L, Davoli R & Russo V: A *Pvu* RFLP at the porcine orosomucoid (*ORM*) locus, 467
- Fontanesi L *see* Davoli R
- Fraghi A *see* Pilla F
- Fredholm M *see* Nissen PH
- Freking BA, Stone RT, de Gortari MJ & Crawford AM: Chromosomal assignment by linkage of 19 unassigned bovine microsatellites using ovine reference populations, 150
- Fries R *see* Buitkamp J
see also Eggen A
- see also* Masabanda J
see also Wigger G
- Gailbert F *see* Lachaume P
see also Lingaas F
- Gaillard C *see* Dolf G
see also Schlöpfer J
- Gallagher DS *see* Ramsoondar JJ
- Gallagher Jr DS, Yang Y-P, Burzlaff JD, Womack JE, Stelly DM, Davis SK & Taylor JF: Physical assignment of six type I anchor loci to bovine chromosome 19 by fluorescence *in situ* hybridization, 130
- Gallagher Jr DS *see* Schlöpfer J
see also Taylor JF
- Ganjam KK, Shibuya H, Stoy SJ, Liu P-C, Ganjam VK, Katz ML & Johnson GS: A *Bst*UI PCR/RFLP marker in an intron of the canine fibrillin 1 gene, 240
- Ganjam VK *see* Ganjam KK
- García-Huidobro J *see* Obreque V
- Gasser F *see* Clouscard-Martinato C
- Gellin J *see* Morisson M
see also Pitel F
- George LA, Miller LM, Valberg SJ & Mickelson JR: Fourteen new polymorphic equine microsatellites, 469
- Georges M *see* Arranz J-J
- Gerbens F, Harders FL, Groenen MAM, Veerkamp JH & te Pas MFW: A dimorphic microsatellite in the porcine H-FABP gene at chromosome 6, 408
- Gibbs M *see* Dawson D
- Giffard J *see* Irvin Z
- Gjetvaj B *see* Magoulas A
- Goldammer T *see* Weikard R
- Goodman SJ *see* Slate J
- Gootwine E & Yossafi S: Genetic mapping of the ovine placental lactogen gene to sheep chromosome 20, 69
- Greppi GF *see* Feligini M
- Grimholt U *see* Lingaas F
- Grimm DR *see* Ramsoondar JJ
- Grisart B *see* Arranz J-J
- Groenen MAM *see* Gerbens F
see also Ruyter-Spira CP
- Grunder AA *see* Benkel BF
- Grupe S *see* Pareek CS
- Guiard V *see* Pareek CS
- Guimarães SEF *see* Rodrigues CV
- Guo Q, Shibuya H, Nonneman D, Liu P-C, Huang TH-M & Johnson GS: A polymorphic (CA)_n microsatellite in the canine lecithin: cholesterol acyltransferase gene, 328
- Gustafsson U *see* Ruohonen-Lehto MK
- Hale P *see* Moore SS
- Haley CS *see* Blott SC
see also Walling GA
- Hameister H *see* Tammen I
- Hara K *see* Takeda H
- Harders FL *see* Gerbens F
- Harlizius B *see* Taylor JF
- Harmon BG *see* Brockus CW
- Hatey F *see* Clouscard-Martinato C
- Hayes H *see* Elduque C
- Heimel C *see* Pitel F
- Henney PJ *see* Obreque V

- Henthorn PS *see* Werner P
 Herbinger C *see* O'Reilly PT
 Herring KL *see* Taylor JF
 Hetzel DJS *see* Lau CH
 Hiendleder S: A low rate of replacement substitutions in two major *Ovis aries* mitochondrial genomes, 116
 Hinrichsen P *see* Obreque V
 Hirano T *see* Ihara N
 Hirota K *see* Tozaki T
 Hitte C *see* Lachaume P
 Holm L-E: Omy0002DIAS: a highly polymorphic dinucleotide microsatellite in rainbow trout (*Oncorhynchus mykiss*), 465
 Holm L-E *see* Brusgaard K
 Holmes N *see* Klein W
 Holmes NG, Dickens HF, Neff MW, Mee JM, Sampson J & Binns MM: Nine canine microsatellites, 477
 Holmes NG *see* Lingaas F
 see also Sutton MD
 Horiuchi M, Ishiguro N, Nagasawa H, Toyoda Y & Shinagawa M: Genomic structure of the bovine PrP gene and complete nucleotide sequence of bovine PrP cDNA, 37
 Høyheim B & Thomsen PD: A polymorphic porcine dinucleotide repeat *S0560* (BHT0491) at chromosome 6q21-q22, 460
 Høyheim B, Amarger V, Vergnaud G & Thomsen PD: A polymorphic porcine dinucleotide repeat *S0559* (BHT0107) at chromosome 6q28-q31, 460
 Huang TH-M *see* Guo Q
 see also Khan S
 see also Shibuya H
 Hughes S *see* Wain HM
 Hui D *see* Wen G
 Ihara N, Yamakuchi H, Hirano T, Takeda H, Taniguchi Y, Sasaki Y, Davies SK, Taylor JF, Barendse W & Sugimoto Y: Physical and genetic mapping of bovine *CEBPA* and *PPARG* genes, 398
 Ihara N *see* Takeda H
 Irvin Z, Giffard J, Brandon R, Breen M & Bell K: Equine dinucleotide repeat polymorphisms at loci ASB 21, 23, 25 and 37-43, 67
 Ishiguro N *see* Horiuchi M
 Itoh T *see* Nakajima E
 Jackwood MW *see* Brockus CW
 Janzen MA, Alexander LJ, Rohrer GA, Beattie CW, Buoen LB & Louis CF: Physical assignment of two porcine cosmid clones containing polymorphic microsatellites, 70
 Jeon J-T *see* Törnsten A
 Jiménez-Gamero I, Vega-Pla JL, Angulo-Heras C, Alonso-Moraga A & Dorado G: Four new polymorphic caprine microsatellites: ChirUCO2, ChirUCO3, ChirUCO4 and ChirUCO5, 238
 Johnson GS *see* Chen Y-W
 see also Ganjam KK
 see also Guo Q
 see also Khan S
 see also Liu PC
 see also Shibuya H
 see also Stoy SJ
 see also Zhou T
 Jones C *see* Burkin DJ
 Jörg H *see* Keller RC
 Jørgensen CB *see* Konfortov BA
 Jouquand S *see* Lachaume P
 Juneja RK *see* Lingaas F
 Kano Y *see* Takeda H
 Kantanen J *see* Kostia S
 see also Moisis S
 Kappes SM *see* Sonstegard TS
 see also Taylor JF
 Karim L *see* Arranz J-J
 Katz ML *see* Ganjam KK
 see also Liu P-C
 Kawakami K *see* Nakajima E
 Keele JW *see* Sonstegard TS
 see also Taylor JF
 Kehler JS *see* Werner P
 Keller RC, Switonski M, Jörg H, Ladon D, Arnold S & Schelling C: Chromosomal assignment of two putative canine keratin gene clusters, 141
 Kelly EP *see* Sutton MD
 Kemp SJ *see* Taylor JF
 Khan S, Shibuya H, Nonneman D, Liu P-C, Huang TH-M & Johnson GS: A polymorphic (TG)_n microsatellite in an intron of the canine tyrosine transaminase gene, 322
 Khan S *see* Zhou T
 Kirkpatrick BW *see* Larsen NJ
 see also Taylor JF
 Kishine H *see* Takeda H
 Klein W, Dekomien G, Holmes N & Epplen JT: Evaluation of *ROM1* as a candidate gene in generalised progressive retinal atrophy in dogs, 316
 Knapp LA *see* Aldridge BM
 Knoll A, Čepica S, Stratil A, Nebola M & Dvoák J: Numerous PCR-RFLPs within the porcine *CYP21* (steroid 21-hydroxylase) gene, 402
 Knoll A, Stratil A, Nebola M & Čepica S: Characterization of a polymorphism in exon 1 of the porcine hormone-sensitive lipase (*LIPF*) gene, 462
 Kocher TD *see* Lee W-J
 Kohno K *see* Takeda H
 Kolkala M *see* Kostia S
 Komatsu M *see* Nakajima E
 Konfortov BA & Miller JR: Three new microsatellite markers on bovine chromosome 17, 463
 Konfortov BA, Jørgensen CB, Miller JR & Tucker EM: Characterisation of a bovine/murine hybrid cell panel informative for all bovine autosomes, 302
 Kopečn M *see* Stratil A
 Kostia S, Kantanen J, Kolkala M & Varvio S-L: Applicability of SSCP analysis for MHC genotyping: fingerprinting of *Ovar-DRB1* exon 2 alleles from Finnish and Russian breeds, 453
 Kriegesmann B *see* Dierkes B
 see also Pfeiffer I
 Kristensen B *see* Ruohonen-Lehto MK
 Kruse T *see* Brusgaard K
 Kühn Ch *see* Weikard R
 Kuhnlein U *see* Li S
 Lachaume P, Hitte C, Jouquand S, Priat C & Galibert F: Identification and analysis of the dog keratin 9 (*KRT9*) gene, 173
 Ladon D, Schelling C, Dolf G, Switonski M & Schlazzzpfer J: The highly polymorphic canine microsatellite ZuBeCa6 is localized on canine chromosome 5q12-q13, 466
 Ladon D *see* Keller RC
 see also Schelling C
 Lagarrigue S *see* Pitel F
 Lambeth MR *see* Burkin DJ
 Landa A *see* Duffy AJ
 Langlois P *see* Pitel F
 Larsen NJ, Eggen A, Byla B, Doud L, Bishop MD & Kirkpatrick BW: UW68, a polymorphic bovine microsatellite on chromosome 17, 243
 Larsen NJ *see* Nielsen VH
 Larson RG *see* Ruohonen-Lehto MK
 Lau CH, Drinkwater RD, Yusoff K, Tan SG, Hetzel DJS & Barker JSF: Genetic diversity of Asian water buffalo (*Bubalus bubalis*): mitochondrial DNA D-loop and cytochrome b sequence variation, 253
 Laurent P *see* Weikard R
 Lee W-J & Kocher TD: Microsatellite mapping of the prolactin locus in the tilapia genome, 68
 Leeb T *see* Düscher S
 see also Tammen I
 see also Wen G
 Lehrach H *see* Buitkamp J
 Lenstra JA *see* Nijman IJ
 see also van Haeringen WA
 Leroux C *see* Pilla F
 Leslie KE *see* Sharif S
 Leveziel H *see* Weikard R
 Lewin HA *see* Mirsky ML
 see also Taylor JF
 Li P *see* Liu Z
 Li S, Zadworny D, Aggrey SE & Kuhnlein U: Mitochondrial PEPCK: a highly polymorphic gene with alleles co-selected with Marek's disease resistance in chickens, 395
 Lien S *see* Windemuth C
 Lingaas F, Aarskaug T, Sletten M, Bjerkås I, Grimholt U, Moe L, Juneja RK, Wilton AN, Gailbert F, Holmes NG & Dolf G: Genetic markers linked to neuronal ceroid lipofuscinosis in English setter dogs, 371
 Liu P-C, Chen Y-W, Shibuya H, Katz ML, Lubahn DB & Johnson GS: A polymorphic (GA)_n microsatellite in an intron of the canine endothelin-B receptor gene, 236
 Liu P-C, Chen Y-W, Shibuya H, Katz ML, Lubahn DB & Johnson GS: Length polymorphism in a CT-rich microsatellite in an intron of the canine tyrosinase-related protein-2 gene, 327
 Liu P-C, Chen Y-W, Shibuya H, Lubahn DB

- & Johnson GS: A length polymorphism in an intron of the canine polycystic kidney disease 1 gene, 322
- Liu PC, Shibuya H, Katz ML & Johnson GS: A BsmFI PCR/RFLP in the canine CD19 gene, 64
- Liu PC, Shibuya H, Lubahn DB & Johnson GS: A polymorphic (CT)_n microsatellite in an intron of the canine SA-hypertension gene, 72
- Liu P-C, Shibuya H, Nonneman D, Katz ML & Johnson GS: A BseRI PCR/RFLP in an intron of the canine phenol sulfotransferase gene, 329
- Liu P-C *see* Chen Y-W
see also Ganjam KK
see also Guo Q
see also Khan S
see also Shibuya H
see also Zhou T
- Liu Z, Li P, Argue BJ & Dunham RA: Inheritance of RAPD markers in channel catfish (*Ictalurus punctatus*), blue catfish (*I. furcatus*) and their F1, F2 and backcross hybrids, 58
- Loftus RT *see* MacHugh DE
- Lohi O *see* Brusgaard K
- Longobardi E *see* Cosenza G
- Lopes CR *see* Amarante MRV
- Lopes G *see* Branco M
- Louis CF *see* Janzen MA
- Lowden S & Drinkwater R: Detection of an SSCP within intronic sequence of the bovine TIMP-2 gene, 332
- Lubahn DB *see* Chen Y-W
see also Liu PC
- Lunn DP *see* Aldridge BM
- Lunney JK *see* Ramsoondar JJ
- Lust G *see* Olivier M
- Luyai A *see* Ballingall KT
- Lyons LA *see* Werner P
- Ma RZ *see* Taylor JF
- MacHugh DE, Loftus RT, Cunningham P & Bradley DG: Genetic structure of seven European cattle breeds assessed using 20 microsatellite markers, 333
- MacLean I *see* Slate J
- Maddox JF *see* Snibson KJ
- Magoulas A, Gjetvaj B, Terzoglou V & Zouros E: Three polymorphic microsatellites in the Japanese oyster, *Crassostrea gigas* (Thunberg), 69
- Malchenko SN *see* Brusgaard K
- Mallard BA *see* Sharif S
- Mancilla R *see* Obreque V
- Marasa BS *see* Ballingall KT
- Marcq F *see* Arranz J-J
- Mariat D, Amigues Y & Boscher MY: Eight canine tetranucleotide repeats, 156
- Marti E, Breen M, Fischer P, Swinburne J & Binns MM: Six new cosmid derived and physically mapped equine dinucleotide repeat microsatellites, 236
- Martin P *see* Pilla F
- Masabanda J, Ewald D, Buitkamp J, Potter K & Fries R: Molecular markers for the bovine fibrillin 1 gene (*FBN1*) map to 10q26, 460
- Masabanda J *see* Buitkamp J
see also Eggen A
see also Wigger G
- Mashima S *see* Tozaki T
- Masina P *see* Cosenza G
see also Motavalian M
see also Senese C
- Matthews GD & Crawford AM: Cloning, sequencing and linkage mapping of the NRAMP1 gene of sheep and deer, 1
- Matthews ME *see* McPartlan HC
see also Ward WK
- McAndrew B *see* Castilho R
- McConnell S *see* Dawson D
- McGraw RA *see* Taylor JF
- McGuirk SM *see* Aldridge BM
- McKeever DJ *see* Ballingall KT
- McPartlan HC, Matthews ME & Robinson NA: Alpaca microsatellites at the VIAS A1 and VIAS A2 loci, 158
- McPartlan HC *see* Ward WK
- Mee JM *see* Holmes NG
- Mezer C *see* Arranz J-J
- Mickelson JR *see* George LA
- Midthjell L *see* Røed KH
- Miller JR *see* Konfortov BA
- Miller LM *see* George LA
- Miller RK *see* Taylor JF
- Mirsky ML, Olmstead C, Da Y & Lewin HA: Reduced bovine leukaemia virus proviral load in genetically resistant cattle, 245
- Moe L *see* Lingaas F
- Moisio S, Elo K, Kantanen J & Vilkki J: Polymorphism within the 3' flanking region of the bovine growth hormone receptor gene, 55
- Mommens G, Van Zeven A & Peelman LJ: Effectiveness of bovine microsatellites in resolving paternity cases in American bison, *Bison bison* L., 12
- Mommens G *see* Peelman LJ
- Moore SS, Hale P & Byrne K: NCAM: a polymorphic microsatellite locus conserved across eutherian mammal species, 33
- Moreau L *see* Arranz J-J
- Morisson M, Pitel F, Fillon V, Pouzadoux A, Bergé R, Vit JP, Zoorob R, Auffray C, Gellin J & Vignal A: Integration of chicken cytogenetic and genetic maps: 18 new polymorphic markers isolated from BAC and PAC clones, 348
- Moro M *see* Pitel F
- Mortiaux F *see* Peelman LJ
- Moser G *see* Stratil A
- Motavalian M, Senese C, Urciuoli M, Di Gregorio P, Rando A & Masina P: PZ271: a microsatellite showing polymorphism in cattle, 241
- Motavalian M *see* Senese C
- Mukoyama H *see* Tozaki T
- Mulsant P *see* Clouscard-Martinato C
see also Tosser-Klopp G
- Musilová P *see* Davoli R
- Nagasawa H *see* Horiuchi M
- Nakajima E, Itoh T, Suzuki K, Kawakami K, Takeda K, Onishi A & Komatsu M: Characterization, chromosomal localization, and genetic variation of the α subunit of porcine eight component of complement, 377
- Nebola M *see* Knoll A
- Neff MW *see* Holmes NG
- Neto ED *see* Rodrigues CV
- Nicholson D *see* Walling GA
- Nielsen VH & Thomsen B: Sex-linked inheritance of the ornithine transcarbamylase (*OTC*) reference anchor locus in pigs, 152
- Nielsen VH, Larsen NJ & Thomsen B: RFLPs at the porcine growth hormone receptor (*GHR*) gene: evidence of an insertion/deletion, 400
- Nijman JJ, Vastenburg JBL, Williams JL, Olsaker I, Thieven U & Lenstra JA: Thirteen bovine microsatellite markers that are polymorphic in sheep, 474
- Nissen PH, Winters AK & Fredholm M: Mapping of porcine genes belonging to two different cytochrome P450 subfamilies, 7
- Nonneman D *see* Chen Y-W
see also Guo Q
see also Khan S
see also Liu P-C
see also Zhou T
- Oakenfull EA & Ryder OA: Mitochondrial control region and 12S rRNA variation in Przewalski's horse (*Equus przewalskii*), 456
- Obreque V, Coogler L, Henney PJ, Bailey E, Mancilla R, García-Huidobro J, Hinrichsen P & Cothran EG: Characterization of 10 polymorphic alpaca dinucleotide microsatellites, 461
- O'Brien D *see* Stoy SJ
- O'Brien DP *see* Chen Y-W
see also Shibuya H
see also Zhou T
- O'Connell M *see* Duffy AJ
- Olivier M & Lust G: Two DNA sequences specific for the canine Y chromosome, 146
- Olmstead C *see* Mirsky ML
- Olsaker I *see* Nijman JJ
- Onishi A *see* Nakajima E
- O'Reilly PT, Herlinger C & Wright JM: Analysis of parentage determination in Atlantic salmon (*Salmo salar*) using microsatellites, 363
- Oshiro T *see* Takeda H
- Pailhoux E *see* Parma P
- Pareek CS, Seyfert H-M, Walawski K, Czarnik U, Guiard V, Grupe S & Schwerin M: Co-segregation of alleles at a microsatellite locus within the macrophage expressed lysozyme gene and levels of serum lysozyme activity in two half-sib families of Polish Black and White Lowland cattle, 441
- Parma P, Pailhoux E & Cotinot C: Detection and characterization of a mutation in the porcine *DAX1* gene, 401
- Parma P *see* Feligini M
- Patterson DF *see* Werner P
- Pearce JM *see* Buchholz WG
- Peelman LJ, Mortiaux F, Van Zeven A,

- Dansercoer A, Mommens G, Coopman F, Bouquet Y, Burny A, Renaville R & Peelman LJ *see* Mommens G
- Portetelle D: Evaluation of the genetic variability of 23 bovine microsatellite markers in four Belgian cattle breeds, 161
- Pemberton JM *see* Slate J
- Penedo MCT, Caetano AR & Cordova KI: Microsatellite markers for south American camelids, 411
- Pérez-Pérez J & Barragán C: Isolation of four pig male-specific DNA fragments by RDA, 157
- Pfeiffer I & Brenig B: A highly polymorphic microsatellite within intron 5 of the porcine 54/56 kDa vacuolar H(+)-ATPase subunit gene (V-ATPase), 464
- Pfeiffer I, Baumgartner BG, Kriegesmann B & Brenig B: A polymorphic microsatellite in intron 2 of the bovine proteolipid protein (PLP) gene, 410
- Pfeiffer I *see* Duscher S
see also Wen G
- Pfister-Genskow M *see* Eggen A
- Phua SH & Wood NJ: A high-frequency *Pst*I polymorphism at the ovine antithrombin III (AT3) locus, 67
- Piedrahita JA *see* Ramsoondar JJ
- Pierson BJ *see* Buchholz WG
- Pilla F, Bevilacqua C, Leroux C, Fraghi A & Martin P: Genotyping of α -S1 casein in sheep, 472
- Pinheiro LEL *see* Rodrigues CV
- Pitel F, Lagarrigue S, Moro M, Douaire M, Gellin J & Vignal A: Mapping of the *ME1* locus to chicken chromosome 3, 475
- Pitel F, Pouzadoux A, Langlois P, Fillon V, Heimel C, Douaire M, Gellin J & Vignal A: Mapping the chicken *SCD1* locus: assignment of a linkage group to chromosome 6, 152
- Pitel F *see* Morisson M
- Pomp D *see* Taylor JF
- Ponce de León FA *see* Benkel BF
- Portetelle D *see* Peelman LJ
- Potter K *see* Masabanda J
- Pouzadoux A *see* Morisson M
see also Pitel F
- Priat C *see* Lachaume P
- Prociuk U *see* Werner P
- Raducha MG *see* Werner P
- Ramos PS *see* Benkel BF
- Ramsoondar JJ, Rucker EB, Vasquez JC, Gallagher DS, Grimm DR, Lunney JK, Schook LB & Piedrahita JA: Isolation and genetic characterization of the porcine apolipoprotein E gene, 43
- Ramunno L *see* Cosenza G
- Rando A *see* Cosenza G
see also Motavalian M
see also Senese C
- Ray J, Brooks MB, Suh Y & Ray K: A PCR-RFLP marker in canine von Willebrand factor gene (*vWF*), 406
- Ray J *see* Du F
- Ray K *see* Ray J
see also Zeiss CJ
- Renard C *see* Ruohonen-Lehto MK
- Renaville R *see* Peelman LJ
- Riquet J *see* Arranz J-J
- Robic A *see* Clouscard-Martinato C
see also Ernst CW
- Robinson NA *see* McPartlan HC
see also Ward WK
- Rodrigues CV, Guimarães SEF, Neto ED & Pinheiro LEL: Identification of a novel polymorphism in the promoter region of the bovine Growth Hormone gene, 65
- Røed KH, Midthjell L & Bjørnstad G: Eight new equine dinucleotide repeat microsatellites at the *NVHEQ26*, *NVHEQ29*, *NVHEQ31*, *NVHEQ40*, *NVHEQ43*, *NVHEQ90*, *NVHEQ98* and *NVHEQ100* loci, 470
- Rohrer GA *see* Janzen MA
see also Sonstegard TS
- Rothschild MF *see* Ernst CW
see also Ruohonen-Lehto MK
see also Sun HS
see also Vincent A
- Rubeš J *see* Davoli R
- Rucker EB *see* Ramsoondar JJ
- Ruohonen-Lehto MK, Renard C, Rothschild MF, Edfors-Lilja I, Kristensen B, Gustafsson U, Larson RG & Varvio S-L: Variable number of pig MHC class I genes in different serologically defined haplotypes identified by a 3'-untranslated region probe, 178
- Russo V *see* Davoli R
see also Fontanesi L
- Ruyter-Spira CP, de Koning DJ, van der Poel JJ, Crooijmans RPMA, Dijkhof RJM & Groenen MAM: Developing microsatellite markers from cDNA: a tool for adding expressed sequence tags to the genetic linkage map of the chicken, 85
- Ryder OA *see* Oakenfull EA
- Sampson J *see* Holmes NG
- San Primitivo F *see* Arranz JJ
- Sanders JO *see* Taylor JF
- Sara V *see* Collet C
- Sargent JM *see* Sharif S
- Sasaki Y *see* Ihara N
- Savell JW *see* Taylor JF
- Sazanov A *see* Buitkamp J
- Schalkwyk L *see* Buitkamp J
- Schelling C, Dolf G, Schläpfer J, Switonski M & Ladon D: Assignment of the canine microsatellite ZuBeCa5 to canine chromosome 19q7, 409
- Schelling C, Stranzinger G, Dolf G, Schläpfer J & Switonski M: Assignment of the canine microsatellite ZuBeCa1 to canine chromosome 10q22-q24, 70
- Schelling C, Stranzinger G, Dolf G, Schläpfer J & Switonski M: Assignment of the canine microsatellite ZuBeCa1 to canine chromosome 10q22-q24, 398
- Schelling C *see* Dolf G
see also Keller RC
see also Ladon D
see also Schläpfer J
see also Switonski M
- Schläpfer J, Gallagher Jr DS, Burzlaff JD, Womack JE, Stelly DM, Taylor JF & Davis SK: Comparative mapping of bovine chromosome 13 by fluorescence *in situ* hybridization, 265
- Schläpfer J, Switonski M, Schelling C, Stranzinger G, Gaillard C & Dolf G: The highly polymorphic canine microsatellite ZuBeCa2 is localized on canine chromosome 1q210-q211, 329
- Schläpfer J *see* Dolf G
- Schook LB *see* Ramsoondar JJ
- Schröfel Jr J *see* Stratil A
- Schwerin M *see* Pareek CS
see also Weikard R
- Scott HM *see* Sharif S
- Scott-Emuakpor J *see* Venta P
- Scribner KY *see* Buchholz WG
- Senese C, Urciuoli M, Di Gregorio P, Motavalian M, Rando A & Masina P: A microsatellite sequence showing polymorphism in sheep, goat, cattle and water buffalo, 63
- Senese C *see* Motavalian M
- Seyfert H-M *see* Pareek CS
- Sharif S, Mallard BA, Wilkie BN, Sargent JM, Scott HM, Dekkers JCM & Leslie KE: Associations of the bovine major histocompatibility complex DRB3 (BoLA-DRB3) alleles with occurrence of disease and milk somatic cell score in Canadian dairy cattle, 185
- Shibuya H, Cassells MW, Huang TH-M & Johnson GS: A polymorphic (TG)_n microsatellite in an intron of the canine angiotensin I converting enzyme gene, 66
- Shibuya H, Liu P-C, O'Brien DP, Chen Y-W & Johnson GS: A *Bbv*I mismatch PCR/RFLP marker for the canine huntingtin gene, 239
- Shibuya H *see* Chen Y-W
see also Ganjam KK
see also Guo Q
see also Khan S
see also Liu PC
see also Stoy SJ
see also Zhou T
- Shinagawa M *see* Horiuchi M
- Shukri N *see* Brusgaard K
- Simianer H *see* Windemuth C
- Simon P *see* Arranz J-J
- Slate J, Coltman DW, Goodman SJ, MacLean I, Pemberton JM & Williams JL: Bovine microsatellite loci are highly conserved in red deer (*Cervus elaphus*), sika deer (*Cervus nippon*) and Soay sheep (*Ovis aries*), 307
- Sletten M *see* Lingaas F
- Smith E: A sequence tagged site in the chicken based on primers specific for the mouse transcription factor core-binding factor alpha 1 (*CBFA1*), 242
- Smith J & Burt DW: Parameters of the chicken genome (*Gallus gallus*), 290
- Smith SB *see* Taylor JF
- Smith TPL *see* Sonstegard TS
- Snibson KJ, Maddox JF, Fabb SA & Brandon MR: Allelic variation of ovine

- MHC class II *DQA1* and *DQA2* genes, 356
- Sonstegard TS, Kappes SM, Keele JW & Smith TPL: Refinement of bovine chromosome 2 linkage map near the *mh* locus reveals rearrangements between the bovine and human genomes, 341
- Sonstegard TS, Rohrer GA & Smith TPL: Myostatin maps to porcine chromosome 15 by linkage and physical analyses, 19
- Spelman RJ & Bovenhuis H: Moving from QTL experimental results to the utilization of QTL in breeding programmes, 77
- Stelly DM *see* Gallagher Jr DS
see also Schläpfer J
- Stone RT *see* Freking BA
see also Taylor JF
- Stoy SJ, Shibuya H, O'Brien D & Johnson GS: A *BstI* PCR/RFLP in the renin binding protein (RnBP) gene on canine chromosome X, 327
- Stoy SJ *see* Ganjam KK
- Stranzinger G *see* Dolf G
see also Schelling C
see also Schläpfer J
see also Switonski M
see also Wigger G
- Stratil A, Kopečn M, Moser G, Schröfel Jr J & Čepica S: *HpaII* and *RsaI* PCR-RFLPs within an intron of the porcine leptin receptor gene (*LEPR*) and its linkage mapping, 405
- Stratil A *see* Davoli R
see also Knoll A
- Stratton C *see* Duffy AJ
- Sugimoto Y *see* Ihara N
see also Takeda H
- Sugimoto Y *see* Taylor JF
- Suh Y *see* Ray J
- Sun HS, Wang L, Rothschild MF & Tuggle CK: Mapping of the natural resistance-associated macrophage protein 1 (NRAMP1) gene to pig chromosome 15, 138
- Sutton MD, Holmes NG, Brennan FB, Binns MM, Kelly EP & Duke EJ: A comparative genetic analysis of the Irish greyhound population using multilocus DNA fingerprinting, canine single locus minisatellites and canine microsatellites, 168
- Suzuki K *see* Nakajima E
- Swinburne J *see* Marti E
- Switonski M, Schelling C, Dolf G, Stranzinger G & Schläpfer J: Assignment of the canine microsatellite ZuBeCa3 to canine chromosome 9q21-q22, 326
- Switonski M *see* Dolf G
see also Keller RC
see also Ladon D
see also Schelling C
see also Schläpfer J
- Takeda H, Yamakuchi H, Ihara N, Hara K, Watanabe T, Sugimoto Y, Oshiro T, Kishine H, Kano Y & Kohno K: Construction of a bovine yeast artificial chromosome (YAC) library, 216
- Takeda H *see* Ihara N
- Takeda K *see* Nakajima E
- Tammen I, Hameister H, Thomsen PD, Leeb T & Brenig B: Cytogenic localization of genetic markers on porcine chromosome 7q, 144
- Tan SG *see* Lau CH
- Taniguchi Y *see* Ihara N
- Taylor JF, Coutinho LL, Herring KL, Gallagher Jr DS, Brenneman RA, Burney N, Sanders JO, Turner JW, Smith SB, Miller RK, Savell JW & Davis SK: Candidate gene analysis of *GH1* for effects on growth and carcass composition of cattle, 194
- Taylor JF, Eggen A, Aleyasin A, Armitage SM, Barendse W, Beever JE, Bishop MD, Brenneman RA, Burns BM, Davis SK, Elo K, Harlizius B, Kappes SM, Keele JW, Kemp SJ, Kirkpatrick BW, Lewin HA, Ma RZ, McGraw RA, Pomp D, Stone RT, Sugimoto Y, Teale AJ, Vaiman D, Vilkki J, Williams JL, Yeh C-C & Zanotti MC: Report of the first workshop on the genetic map of bovine chromosome 1, 228
- Taylor JF *see* Gallagher Jr DS
see also Ihara N
see also Schläpfer J
- te Pas MFW *see* Gerbens F
- Teale AJ *see* Taylor JF
- Terzoglou V *see* Magoulas A
- Thieven U *see* Nijman IJ
- Thomsen B *see* Nielsen VH
- Thomsen PD *see* Høyheim B
see also Tammen I
- Tiedemann R & von Kistowski KG: Novel primers for the mitochondrial Control Region and its homologous nuclear pseudogene in the Eider duck *Somateria mollissima*, 468
- Tomita M *see* Tozaki T
- Törnsten A, Jeon J-T, Alexander LJ, Andersson L & Chowdhary BP: Physical ordering of six YACs from the RN region in pigs, 319
- Tosser-Klopp G, Mulsant P & Yerle M: Regional localisations of *VIM*, *HSD3b*, *ACTA1* and *PGM1* in pigs, 23
- Toye AA *see* Wain HM
- Toyoda Y *see* Horiuchi M
- Tozaki T, Hirota K, Mashima S, Tomita M & Mukoyama H: Cloning and characterization of the equine *F18* gene, which has a novel exon, 381
- Trepanier LA *see* Zeiss CJ
- Tucker EM *see* Konfortov BA
- Tuggle CK *see* Sun HS
see also Vincent A
- Turner JW *see* Taylor JF
- Urciuoli M *see* Motavalian M
see also Senese C
- Vaiman D *see* Taylor JF
- Valberg SJ *see* George LA
- van de Goor LHP *see* van Haeringen WA
- van den Hout N *see* van Haeringen WA
- van der Poel JJ *see* Ruyter-Spira CP
- van Haeringen WA, van de Goor LHP, van der Hout N & Lenstra JA: Characterization of 24 equine microsatellite loci, 153
- van Haeringen WA, van de Goor LHP, van den Hout N, Lenstra JA & van Haeringen H: A polymorphic horse microsatellite locus: VHL150, 464
- van Haeringen H *see* van Haeringen WA
- Van Zeveren A *see* Mommens G
see also Peelman LJ
- Vanmanshoven P *see* Arranz J-J
- Varvio S-L *see* Kostia S
see also Ruohonen-Lehto MK
- Vasquez JC *see* Ramsoondar JJ
- Vastenburger JBL *see* Nijman IJ
- Veerkamp JH *see* Gerbens F
- Vega-Pla JL *see* Jiménez-Gamero I
- Venta P & Cao Y: AIRS-PCR for the canine DLA-DQA1 F141L polymorphism, 475
- Venta P, Cao Y, Dittmer N & Scott-Emuakpor J: A PCR-RSP *Csp6I* site in the canine ornithine aminotransferase (*OAT*) gene, 325
- Vergnaud G *see* Høyheim B
- Vignal A *see* Morisson M
see also Pitel F
- Vilkki J *see* Moisio S
see also Taylor JF
- Vincent A, Wang L, Tuggle CK & Rothschild MF: Linkage and physical mapping of prolactin to porcine chromosome 7, 27
- Visscher PM *see* Walling GA
- Vit JP *see* Morisson M
- von Kistowski KG *see* Tiedemann R
- Wagenaar D *see* Arranz J-J
- Wain HM, Toyé AA, Hughes S & Bumstead N: Targeting of marker loci to chicken chromosome 16 by representational difference analysis, 446
- Walawski K *see* Pareek CS
- Walker CA *see* Walling GA
- Walling GA, Archibald AL, Cattermole JA, Downing AC, Finlayson HA, Nicholson D, Visscher PM, Walker CA & Haley CS: Mapping of quantitative trait loci on porcine chromosome 4, 415
- Wang L *see* Ernst CW
see also Sun HS
see also Vincent A
- Ward WK, McPartlan HC, Matthews ME & Robinson NA: Ostrich microsatellite polymorphisms at the VIAS-OS4, VIAS-OS8, VIAS-OS14, VIAS-OS22 and VIAS-OS29 loci, 331
- Wardle A *see* Dawson D
- Watanabe T *see* Takeda H
- Watkins DI *see* Aldridge BM
- Weiherr M *see* Buitkamp J
- Weikard R, Goldammer T, Kühn Ch, Laurent P, Levéziel H, Barendse W & Schwerin M: Five bovine polymorphic dinucleotide microsatellite markers: FBN5, FBN16, FBN17, FBN18 and FBN19, 412
- Wen G, Pfeiffer I, Leeb T, Baumgartner BG, Hui D & Brenig B: Two highly polymorphic microsatellites within the porcine secretory carrier membrane protein 1 (*SCAMP1*) gene, 462

- Werner P, Raducha MG, Prociuk U, Lyons LA, Kehler JS, Henthorn PS & Patterson DF: RXRA and HSPA5 map to the telomeric end of dog chromosome 9, 220
- Wigger G, Masabanda J, Stranzinger G & Fries R: A molecular marker for the bovine ciliary neurotrophic factor receptor gene (*CNTFR*) maps to 8q21, 64
- Wilkie BN *see* Sharif S
- Williams JL *see* Blott SC
see also Nijman IJ
see also Slate J
see also Taylor JF
- Wilton AN *see* Lingaas F
- Windemuth C, Simianer H & Lien S: Fitting genetic mapping functions based on sperm typing: results for three chromosomal segments in cattle, 425
- Winterø AK *see* Nissen PH
- Womack JE *see* Amarante MRV
see also Gallagher Jr DS
see also Schläpfer J
- Wood NJ *see* Phua SH
- Wright JM *see* Duffy AJ
see also O'Reilly PT
- Yamakuchi H *see* Ihara N
see also Takeda H
- Yang Y-P *see* Gallagher Jr DS
- Yeh C-C *see* Taylor JF
- Yerle M *see* Ernst CW
see also Tosser-Klopp G
- Yossafi S *see* Gootwine E
- Yusoff K *see* Lau CH
- Zadworny D *see* Li S
- Zambonelli P *see* Davoli R
- Zanotti MC *see* Taylor JF
- Zeiss CJ, Aguirre GD & Ray K: A highly polymorphic RFLP marker in the canine retinitis pigmentosa GTPase regulator (*RPGR*) gene, 409
- Zeiss CJ, Trepanier LA, Aguirre GD & Ray K: A highly conserved microsatellite in the dystrophin gene of diverse mammalian species, 224
- Zhang Y, Cao H & Ferretti L: IDVGA75 (*D15S24*) a polymorphic microsatellite locus physically mapped to bovine chromosome BTA 15q25, 472
- Zhou T, Nonneman D, Shibuya H, Khan S & Liu P-C: A *Ava*II PCR/RFLP in an exon of the canine gene for the beta subunit of the amiloride-sensitive sodium channel (*SCNN1B*), 239
- Zhou T, Shibuya H, Liu P-C, O'Brien DP & Johnson GS: A *Nla*III PCR/RFLP in an intron of the retinitis pigmentosa GTPase regulator gene (*RPGR*) on the canine X chromosome, 330
- Zoorob R *see* Morisson M
- Zouros E *see* Magoulas A

Keyword index

- allele fingerprinting 453
 antimicrobial peptides 283
 apolipoprotein E 43
 Atlantic salmon 363
 autosomal recessive 371
 avidin gene cluster 295

 β -defensin 283
 bison 12
 blood type polymorphism 202, 273
BoLA DQA3 123
BoLA-DRB3 389
Bos taurus 216
 bovine bacterial artificial
 chromosome library 130, 265
 bovine leucocyte antigen 185
 bovine leukaemia virus 245
 bovine lymphocyte antigen 389
 bovine major histocompatibility
 complex 245
 bovine/murine hybrid cell panel 302
 bovine 55, 130, 194, 216, 228, 265
 breed relationships 273
 BSE 37
 BTA1 228
 BTA19 194
Bubalus bulablis 253
 buffalo evolution 253

 C8A 377
 CA repeat 224
 CAG repetitive sequence (CRS) 381
 calpastatin 212
 canine genetics 141, 146
 canine neuronal ceroid
 lipofuscinosis 371
 canine 220, 224
 catfish 58
 cattle breed 333
 cattle microsatellites 12
 cattle 107, 130, 161, 265, 307, 356
 cDNA clones 178
 cell hybrid panel 48
 CFA9 220
 chicken heterophil peptide 283
 chicken 85, 290, 295, 395, 446
 chromosome 7 144, 385
 chromosomes 130, 265
 comparative gene mapping 23, 220
 comparative genetics 371
 comparative mapping 7, 85, 307, 341
 compatibility analyses 363
 confirmation study 77
 conservation 456
 control region 253
 cosmid cloning 295
CYP2C 7
CYP3A 7
 cytochrome b 253
 cytochrome P450 7
 cytogenetic marker 98
 cytogenetic 144

 dairy cattle 441
 deer 1, 307
 denaturing gradient gel
 electrophoresis 389
 differential display 98
 discriminant analysis 425
 disease associations 185
 D-loop 253
 DNA fingerprinting 168
 DNA microsatellites 33, 435
 DNA polymorphism 58
 dog 146, 173
 dog chromosome 220
 dog genetics 371
 double-muscling 19
DQA 356
DQA3 356
 dystrophin gene 224

 engrailed 341
 equine 381
Equus przewalskii 456
 error detection 363
 error impact analyses 363
 European cattle 273

 fat 415
F18 gene 381
 FISH 43, 144
 fluorescence *in situ* hybridisation 130,
 265, 295, 319
 FSH-regulation 98
F-statistic 333

 gallinacin 283
 gene defect 41
 gene mapping 33, 43, 48, 138,
 212, 319, 385
 generalised progressive retinal
 atrophy 316
 genetic distance 161
 genetic diversity 202, 253, 273
 genetic linkage map 85
 genetic linkage 194, 228
 genetic map 290, 446
 genetic mapping 371, 395
 genetic relationships 435
 genetic structure 168
 genome mapping 302
 genome size 290
 genotyping 453
GH1 194
GHR 55
 granulosa cell 98
 greyhound 168
 gridded cosmid library 295
 growth 415

 hereditary disease 41
 Hereford cattle 202
 host resistance 245
 HSPA5 220

 immunodeficiency 41
 inherited disease 371
 insulin 30
 insulin-like growth factor II 30
 interleukin 341
 interval analysis 194
 intracellular bacteria 1
 introgression 202
 isoelectric focusing 135
 isozyme analysis 302

 keratin 9 gene 173
 keratin genes 141

 library 216
 likelihood ratio test 425
 linkage mapping 7, 91
 linkage 371
 long-PCR 37
 lysozyme 441

 major haplotypes 116
 major histocompatibility complex 123,
 389, 446
 map distance 425
 mapping function 425
 mapping 19, 55, 377
 Marek's disease susceptibility 395
 marker 58
 marker assisted selection 77
 mastitis 185
 maternal lineages 456
 maximum likelihood 425
 meat quality 319
 MHC 356
 MHC class I 178
MhcOvar 453
 microsatellite 1, 43, 85, 161,
 168, 173, 212, 307, 333, 363
 microsatellite conservation 224
 microsatellite marker 441
 milk production 107
 mitochondrial DNA 116, 253, 456
 mitochondrial
 phosphoenolpyruvate
 carboxykinase 395
 multilocus feasibility 425
 muscle hypertrophy 19
 mutations 363
 myostatin 19, 341
 myosin heavy chain 91
 natural resistance-associated
 macrophage protein 1 (NRAMP1) 138
 NCAM 33
 NRAMP1 1

OLA 356
 ovarian folliculogenesis 98
 ovine 356
Ovis aries 116

 paired-box 341

parentage	168	quantitative trait loci	77, 415	sheep	1, 48, 307, 435
parentage determination	363	quantitative trait loci mapping	107	single locus minisatellites	168
parentage testing	12			single strand conformation	
PCR	55, 58	rabbit	135	polymorphism analysis	316
PCR genotyping	441	random amplified polymorphic		single strand conformation	
PCR-RFLP	27	DNA	146	polymorphism typing	356
permutation test	194	random primers	58	somatic cell hybrids	23
phylogeny	333, 456	RAPD	58	somatic hybrid	98
physical gene mapping	130, 265	recombination	425	SSCP	453
physical map	290	regional assignment	7	swine	377
physical mapping	141	replacement substitutions	116		
pig	7, 23, 43, 91, 98, 138, 144, 178, 319, 385, 415	replication	77	teleost	30
polymerase chain reaction	146	representational difference analysis	446	transcription	98
polymerase chain reaction-		retinitis pigmentosa	316	turkey heterophil peptide	283
restriction fragment length		RFLP haplotypes	178	tyrosine hydroxylase	30
polymorphism	185	RN	319		
polymorphism	55, 123, 135, 173, 356, 377, 385	ROM1	316	3'-untranslated region probe	178
		RT-PCR	98	3'-UTR	37
population assignment	333	RXRA	220	3'-UTR conservation	224
porcine	27, 212				
principal component analysis	333	SCID	41	variability	161
prion protein	37	scoring errors	363		
probability of exclusion	12	scrapie	37	X chromosome	381
prolactin	27	sequence variation	116		
properdin factor B	135	sequencing	55	Y chromosome	146
proteasome subunit A4	385	serologically defined haplotypes	178	YAC	144, 216, 319
		serum lysozyme activity	441	yeast artificial chromosome	341, 446

